

Supplementary material

This appendix formed part of the original submission and has been peer reviewed. We post it as supplied by the authors.

Supplement to: Pereira CL, Adrega T (2023) P14 - Brain Protection Strategies In The Surgical Treatment Of Acute Type A Aortic Dissection And The Occurrence Of Intraoperative Brain Damage - A Systematic Literature Review and Meta-Analysis. *Journal of Statistics on Health Decision*, 5(2), e32432.

<https://doi.org/10.34624/jshd.v5i2.32432>; published online June 1, 2023

P14

Brain Protection Strategies In The Surgical Treatment Of Acute Type A Aortic Dissection And The Occurrence Of Intraoperative Brain Damage - A Systematic Literature Review and Meta-Analysis




Figure 1 Forest plots displaying the occurrence of temporary neurological damage, permanent neurologic damage and stroke with the use of retrograde cerebral perfusion (RCP) vs. antegrade cerebral perfusion (ACP); RCP vs. deep hypothermic hypothermia with no-cerebral perfusion (DH); ACP vs. DH; unilateral ACP (uACP) vs. bilateral ACP (bACP); DH (<28°C) vs. moderate hypothermia (MH, 28°C-32°C); low hypothermia (LH, <24°C) vs. high hypothermia (HH, ≥ 24°C).

Bibliography:

Ghoreishi M, Sundt TM, Cameron DE, Holmes SD, Roselli EE, Pasrija C, Gammie JS, Patel HJ, Bavaria JE, Svensson LG, Taylor BS. Factors associated with acute stroke after type A aortic dissection repair: An analysis of the Society of Thoracic Surgeons National Adult Cardiac Surgery Database. *J Thorac Cardiovasc Surg.* 2020 Jun;159(6):2143-2154.e3. doi: 10.1016/j.jtcvs.2019.06.016. Epub 2019 Jun 18. PMID: 31351776.

Gong M, Ma WG, Guan XL, Wang LF, Li JC, Lan F, Sun LZ, Zhang HJ. Moderate hypothermic circulatory arrest in total arch repair for acute type A aortic dissection: clinical safety and efficacy. *J Thorac Dis.* 2016 May;8(5):925-33. doi: 10.21037/jtd.2016.02.75. PMID: 27162668; PMCID: PMC4842827.

Leshnowar BG, Thourani VH, Halkos ME, Sarin EL, Keeling WB, Lamias MJ, Guyton RA, Chen EP. Moderate Versus Deep Hypothermia With Unilateral Selective Antegrade Cerebral Perfusion for Acute Type A Dissection. *Ann Thorac Surg.* 2015 Nov;100(5):1563-8; discussion 1568-9. doi: 10.1016/j.athoracsur.2015.05.032. Epub 2015 Jul 30. PMID: 26233273.

Pupovac SS, Hemli JM, Bavaria JE, Patel HJ, Trimarchi S, Pacini D, Bekerredjian R, Chen EP, Myrmel T, Ouzounian M, Fanola C, Korach A, Montgomery DG, Eagle KA, Brinster DR. Moderate Versus Deep Hypothermia in Type A Acute Aortic Dissection Repair: Insights from the International Registry of Acute Aortic Dissection. *Ann Thorac Surg.* 2021 Dec;112(6):1893-1899. doi: 10.1016/j.athoracsur.2021.01.027. Epub 2021 Jan 28. PMID: 33515541.

Stamou SC, McHugh MA, Conway BD, Nores M. Role of Moderate Hypothermia and Antegrade Cerebral Perfusion during Repair of Type A Aortic Dissection. *Int J Angiol.* 2018 Dec;27(4):190-195. doi: 10.1055/s-0038-1675204. Epub 2018 Oct 29. PMID: 30410289; PMCID: PMC6221797.