

Wireless Power Transfer in a Novel Solar Power Satellite System Architecture

Ricardo A.M. Pereira¹, Helena Ribeiro¹, Henrique Chaves¹, Ricardo Figueiredo¹, Amit Baghel¹, Sandra F.H. Correia^{1,2}, Hélder Morais^{3,4}, J. Martinho M. Oliveira^{2,3}, Paulo S. André², Rute André², Nuno Borges Carvalho¹

Solar power satellite (SPS) systems can revolutionize energy distribution by capturing solar energy in space and wirelessly transmitting it to ground receivers [1]. This method promises a continuous and reliable power supply, mostly unaffected by weather or day-night cycles. However, the vast distance between the satellites and the Earth presents a challenge, requiring large and precise infrastructures to be built and maintained in space. William Brown's work on wireless power transfer (WPT) by microwaves paved the way, while highlighting the complexities of achieving high-efficiency over such distances [2].

Researchers at the University of Aveiro have proposed an innovative system architecture that addresses several of these challenges [3]. The main novelty is the addition of an energy storage subsystem, allowing power supply even if there is no direct sunlight, such as lunar bases on the dark side of the moon. Additionally, to enhance the WPT's efficiency and reduce the system's dimensions, quasi-optical techniques focus the beam of energy, done here mostly with lenses [4, 5, 6]. Finally, solar concentrators increase the energy generation efficiency [7].


This project has achieved significant milestones, having won an European Space Agency Ideas call, for the development of a large-scale ground demonstrator. Preliminary results have shown a beam transfer efficiency of 43%, surpassing the state-of-the-art.

Key developments in the beam transfer include new corrugated horn antennas and miniaturized Fresnel zoned lenses. The former can be additively manufactured directly in metal without supports, while providing excellent radiation performance. The miniaturized Fresnel lens significantly reduces the lens' thickness and overall system weight, dimensions and costs.

In summary, this research represents a major advancement in SPS systems, addressing key technical challenges, bringing us closer to realizing SPS as a viable energy solution. I employ AI for text development purposes.

References

- [1] – P.E. Glaser, "Power from the sun: Its future," *Science*, vol. 162, no. 3856, pp. 857–861, 1968. [Online]. Available: <https://science.sciencemag.org/content/162/3856/857>.
- [2] – W.C. Brown, "The history of power transmission by radio waves," *IEEE Transactions on Microwave Theory and Techniques*, vol. 32, no. 9, pp. 1230–1242, 1984.
- [3] – R.A.M. Pereira et al., "Energy Mules, a Novel Solar Power Satellite System Architecture Capable of Energy Storage," 73rd International Astronautical Congress (IAC), Paris, IAC-22-C3.2.12, 2022.
- [4] – P. F. Goldsmith, *Quasioptical Systems: Gaussian Beam Quasioptical Propagation and Applications*. Piscataway, NJ: IEEE Press, 1998.
- [5] – R.A.M. Pereira, N.B. Carvalho, "Quasioptics for increasing the beam efficiency of wireless power transfer systems." *Scientific Reports* 12:1 (2022): 20894.
- [6] – R.A.M. Pereira, N.B. Carvalho, "Quasioptical dielectric lens system for WPT solutions", 2022 Wireless Power Week, 2022, pp. 190-194.
- [7] – S. F. H. Correia, et al., *Opt. Mater.: X* 2, 190006 (2022).



1 – IT & Department of Electronics, Telecommunications and Informatics, University of Aveiro.

2 – School of Design, Management and Production Technologies Northern Aveiro, University of Aveiro.

3 – CICECO, University of Aveiro.

4 – Department of Electrical and Computer Engineering and Instituto de Telecomunicações, Instituto Superior Técnico, University of Lisbon.

FIGURE 1

Scheme of the models from BIM to EFM.

FIGURE 2

Influence of the out-of-plane (OOP) resistance.